


AMCC - 1725

NOTES:-

- 1.) CUSTOMER TO MARK THE DIMENSIONS/CHARACTERISTICS THAT ARE CRITICAL TO FIT/FORM AND FUNCTION ON THE DRAWING.
- 2.) NUMBER OF COMPONENTS TO BE SUBMITTED FOR PILOT PRODUCTION LOT=\_\_\_\_\_PIECES.
- 3.) UNLESS OTHERWISE SPECIFIED, STANDARD PACKAGING USED BY HITACHI METGLAS WILL BE PROVIDED.
- 4.) ALL PRODUCTION RECORDS AND DATA PERTAINING TO THIS PRODUCT WILL BE RETAINED FOR A PERIOD OF 1 YEAR FROM THE DATE OF SHIPMENT.



NOTE :-

1. ALL MEASUREMENTS ARE DONE AT ROOM TEMPERATURE.
2. WEIGHT INCLUDES 2% EPOXY WEIGHT.
3. CONTINUOUS OPERATING TEMPERATURE : 155°C

CORE MATERIAL: MEGLAS® ALLOY 2605SA1

PHYSICAL SPECIFICATIONS

Core Build	(a) mm	63.5±1.0
Window Width	(b) mm	38.1+1.0/-0.0
Window Length	(c) mm	97.8+2.5/-0.0
Core Height	(d) mm	88.9+1.5/-0.0
Core Width	(e) mm	165.1+2.0/-0.0
Core Length	(f) mm	224.8+5.0/-0.0
Mean Magnetic Path	( $l_m$ ) cm	53.63
Net Area	( $A_c$ ) cm <sup>2</sup>	46.29
Window Area	( $W_a$ ) cm <sup>2</sup>	37.30
Area Product	( $A_p$ ) cm <sup>4</sup>	1725.00
Weight of Core	g	17641 (Nom.)

ELECTRICAL SPECIFICATIONS

Core Loss @ 16kHz, 0.037 T ≤ 2.0W/Kg.

$l_m$  = mean magnetic path length  
 $A_c$  = net cross-sectional area  
 $W_a$  = core window area

NOTE :-  
 THIS DRAWING, THE PROPERTY OF HITACHI METGLAS INDIA PVT. LTD. IS FURNISHED SUBJECT TO RETURN ON DEMAND AND THE CONDITION THAT THE INFORMATION AND TECHNOLOGY EMBODIED HEREIN SHALL NOT BE DISCLOSED OR USED AND THE DRAWING SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART EXCEPT AS PREVIOUSLY AUTHORIZED IN WRITING. ANY PERSON WHO MAY RECEIVE OR OBSERVE THIS DESIGN WILL BE HELD STRICTLY LIABLE FOR ANY VIOLATION WHETHER WILLFUL OR NEGLIGENT.

TOLERANCES UNLESS OTHERWISE SPECIFIED	NO.	REVISION	BY	APPR.	DATE	DIMENSIONS	MM	DESCRIPTION	SHEET NO.	DRAWING NO.	REV. NO.
	0.	FIRST RELEASE. (SUPERCEDED PS019ADB, REV 2.	SA	SR	05/07/04	SCALE	N.T.S	C-CORE DESIGN	1	AMCC-1725	3
	1.	TYPING ERROR IN CORE WEIGHT.	SA	RK	12/08/04	PROJECTION	THIRD ANGLE	MATERIAL AS NOTED	1	AMCC-1725	3
	2.	CORE WEIGHT MINIMUM DENOTES & CORE LOSS WAS 24.60W	SA	RK	18/01/05	<b>HITACHI METGLAS</b> SD 05/07/04 SA 05/07/04 RK 05/07/04 DRAWN DATE CHECKED DATE APPROVED DATE					
	3.	PRODUCT & DRAWING FORMAT REVISED. (AS PER PCN004)	RG	RK	25/09/06						