




MP7324MDGC



TYPICAL B-H LOOP

Coated Core Specifications				Bare Core Specifications		
PART NO.	OD mm	ID mm	HT mm	OD mm	ID mm	HT mm
MP7324MDGC	36.99	23.01	11.05	35.31	23.55	9.525
Tolerance (mm)	Max.	Min.	Max.			

Core Designation	Material DuPont	Manufacturer UL File #	Insulation System
M	EFB534S0	E206123	ClassB/ClassF

**NOTE:**

- PART IDENTIFICATION CODE AND MANUFACTURING DATE CODE ARE PRINTED ON CURVED SURFACE.
- MINIMUM COATING THICKNESS OF 0.076 mm (3 MILS) ON ANY POINT OF CORE IS MAINTAINED.
- ALL MEASUREMENTS ARE DONE AT ROOM TEMPERATURE.
- OVALITY OF 95% ON OUTER AND INNER DIAMETER IS PERMISSIBLE.
- MAXIMUM CONTINUOUS OPERATING TEMPERATURE IS 150°C.

**MAGNETIC TOLERANCES:**

PERMEABILITY  $\pm 15\%$

$A_I \pm 15\%$   
Mass  $\pm 3\%$

**CORE MATERIAL:**

METGLAS<sup>®</sup> ALLOY 2605SA1.

Performance Specifications							
$l_m$	$A_c$	Mass	Vol	Initial	$A_I$	$W_a$	$W_a A_c$
cm	cm <sup>2</sup>	g	cm <sup>3</sup>	Perm	nH	cm <sup>2</sup>	cm <sup>4</sup>
9.24	0.487	32.99	4.50	245	162.3	4.16	2.026

$A_I$  is measured at 10 kHz/100 mV.

$l_m$  = mean magnetic path length

$A_c$  = net cross-sectional area

$W_a$  = core window area

<b>NOTICE :-</b> THIS DRAWING, THE PROPERTY OF HITACHI METGLAS IS FURNISHED SUBJECT TO RETURN ON DEMAND AND THE CONDITION THAT THE INFORMATION AND TECHNOLOGY EMBODIED HEREIN SHALL NOT BE DISCLOSED OR USED AND THE DRAWING SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART EXCEPT AS PREVIOUSLY AUTHORIZED IN WRITING. ANY PERSON WHO MAY RECEIVE OR OBSERVE THIS DESIGN WILL BE HELD STRICTLY LIABLE FOR ANY VIOLATION WHETHER WILLFUL OR NEGLIGENT.	TOLERANCES UNLESS OTHERWISE SPECIFIED			NO.	REVISION	BY	APPR.	DATE	DIMENSIONS	MM	DESCRIPTION	MICROLITE MAGNETIC TOROIDAL CORES		SHEET	PART NO.	REV. NO.
				1.	ADDED NOTE # 4.5 & MINIMUM COATING THICKNESS WAS 0.127MM (5 MILS). COMPANY NAME WAS HONEYWELL.	VS	RK	02/11/04	SCALE	N.T.S	MATERIAL	AS NOTED		1 OF 1	MP7324MDGC	1
									PROJECTION	THIRD ANGLE						
									<b>HITACHI METGLAS</b>		SM	10/21/98	SR	07/19/01	RH, RM, ST	07/19/01
											DRAWN	DATE	CHECKED	DATE	APPROVED	DATE